

RH650V Variable Temperature Heat Gun

Includes:

- Glass Protector Nozzle (336193)
- Spreader Nozzle (336194)
- Hook Nozzle (336192)
- Concentrator Nozzle (336191)
- Handheld Scraper (336195)
- Storage Case

Features:

- **Variable heat settings** for versatility in a wide range of applications
- **Lowest heat setting reaches 120 Degrees Fahrenheit** with an airflow of 8.8 - 17.7 CFM
- **Highest heat setting reaches 1,200 Degrees Fahrenheit** with an airflow of 8.8 - 17.7 CFM
- **LCD display** allows the user to choose from five different speed settings and temperatures from 120-1,200 Degrees Fahrenheit in 20 Degree increments
- **Integrated rear stand support** allows the user to place the tool upright during cooling
- **Constant heat control** maintains the optimal temperatures and prevents overheating
- **Rapid cooling function** decreases temperature to 120 Degree Fahrenheit for faster cooling and storage
- **Storage hook** doubles as a support stand to allow for cooling either hanging or seated
- **Overload protection** safeguards the tool from damage during continuous use applications
- **Ergonomic soft grip handle** ensures comfort during prolonged use
- **Applications include:** stripping paint, softening and removing adhesives, removing flooring, thawing frozen pipes, loosening rusted nuts and bolts, shaping plastic and PVC, drying paint or plaster, heat shrink packaging and tubing
- Download the [RH650V Tool Card](#)

Includes:

- Glass Protector Nozzle (336193)
- Spreader Nozzle (336194)
- Hook Nozzle (336192)
- Concentrator Nozzle (336191)
- Handheld Scraper (336195)
- Storage Case

Specifications

Watts 1500

Amps 12

.

| | |
|----------------------------|------------------------------|
| Temperature Settings | Variable |
| Temp Range: Low | 120 Degrees Fahrenheit |
| Temp Range: High | 120-1,200 Degrees Fahrenheit |
| Air Settings | 5 |
| Air Volume: Lowest | 8.8 CFM |
| Air Volume: Highest | 17.7 CFM |
| Support Stand | Yes |
| LCD Display | Yes |
| Dimensions (LxWxH) | 9-21/32"x3-11/32"x10-1/32" |
| Weight | 1.74 lbs |
| Package Dimensions (LxWxH) | 13-1/4"x4-3/8"x10-7/8" |
| Packaged Weight | 4.6 lbs |
| Warranty | 1-Year |
