

Item Code	Description	M's Box	M's Ctn.	Ctns/Skid	Wt/lbs/Skid	Item Code	Description	M's Box	M's Ctn.	Ctns/Skid	Wt/lbs/Skid
<b>NR83A, NR83A2, NR90AC, NR90AC2, NR90AC3, NR90GR, NR90AE</b>						<b>NR83A, NR83A2, NR83A2S, NR90AC, NR90AC2, NR90AC3, NR90GR, NR90AE</b>					
Full Round Head Brite Basic Plastic Strip Framing Nails						Full Round Electro Galvanized Plastic Strip Ballistic Fasteners					
10100	2" x .113 SM		6	48	1810	17640	8 x 1-3/4" Threaded SC EG	1	4	48	1235
10122	2" x .113 RG		6	48	1810	17641	8 x 2" Threaded SC EG	1	4	48	1430
10102	2-3/8" x .113 SM		5	48	1860	17644	8 x 2-1/4" Threaded SC EG	1	4	48	1530
10103	2-3/8" x .113 RG		5	48	1860	17642	8 x 2-1/2" Threaded SC EG	1	4	48	1715
10203	2-3/8" x .113 SC		5	48	1860	17643	8 x 2-3/4" Threaded SC EG	1	4	48	1910
10105	3" x .120 SM		4	48	2005	17645	8 x 3" Threaded SC EG	1	4	48	2005
10133	3" x .120 RG		4	48	2005	<b>N3804AB, N3804AB2, N3804AB3</b>					
10124	3" x .120 SC		4	48	2003	18 Gauge Electro Galvanized Finish Staples					
10107	3-1/4" x .120 SM		4	48	2195	11101	1/4" x 3/4"	5	80	36	2298
10132	2-1/2" x .131 SM		5	48	2435	11102	1/4" x 7/8"	5	60	36	1945
10131	2-1/2" x .131 RG		5	48	2435	11103	1/4" x 1"	5	60	36	2195
10110	3" x .131 SM		4	48	2340	11104	1/4" x 1-1/8"	5	50	36	2015
10186	3" x .131 RG		4	48	2340	11105	1/4" x 1-1/4"	5	40	36	1875
10111	3-1/4" x .131 SM		4	48	2535	11107	1/4" x 1-1/2"	5	40	36	2305
10109	3-1/4" x .131 SC		4	48	2535	<b>N5008AA, N5008AB, N5008AC</b>					
10120	3-1/2" x .131 SM		4	48	2580	16 Gauge Standard Crown Staples					
10000	1-1/2" x .148 SM		5	48	2100	11200	7/16" x 1"		10	60	1115
10136	3" x .148 SM		4	48	2970	11201	7/16" x 1-1/4"		10	60	1386
10140	3-1/2" x .162 SM		3	48	3110	11203	7/16" x 1-1/2"		10	60	1655
<b>NR83A, NR83A2, NR90AC, NR90AC2, NR90AC3, NR90GR, NR90AE</b>						<b>N3824A, N5024A</b>					
Full Round Head Electro Galvanized Plastic Strip Framing Nails						16 Gauge Roofing Staples					
10123	2" x .113 RG		6	48	1810	11300	1" x 5/8"		10	60	1086
10104	2-3/8" x .113 SM		5	48	1860	11301	1" x 7/8"		10	60	1235
10112	2-3/8" x .113 RG		5	48	1860	11305	1" x 3/4"		10	60	1175
10113	3" x .120 SM		4	48	2005	11302	1" x 1"		10	60	1355
10117	3" x .120 RG		4	48	2005	11303	1" x 1-1/4"		10	60	1655
10106	3" x .120 SC		4	48	2005	11304	1" x 1-1/2"		10	60	1895
10114	3-1/4" x .120 SM		4	48	2195	<b>OTHER BRANDS</b>					
10119	3-1/4" x .120 SC		4	48	2195	Medium Crown and Wide Crown Staples					
10155	2-1/2" x .131 SM		5	48	2435	11403	1" x 1-1/4" 16 GA GS Paslode Style		10	60	1690
10115	3" x .131 SM		4	48	2340	11404	1" x 1-1/2" 16 GA GS Paslode Style		10	60	1835
10116	3-1/4" x .131 SM		4	48	2535	11506	1/2" x 1-1/4" 16 GA GS Paslode Style		10	60	1355
<b>NR83A, NR83A2, NR90AC, NR90AC2, NR90AC3, NR90GR, NR90AE</b>						<b>NV45AB, NV45AB2, NV45AB2S, NV45AC, NV45AE, NV45AES</b>					
Full Round Head Hot Dipped Galvanized Plastic Strip Framing Nails						Wire Coil Electro Galvanized Roofing Nails					
10161	2-3/8" x .113 RG		5	48	2005	12100	1" x .120 SM		7.2	48	1335
10159	2-3/8" x .113 SC		5	48	2005	12101	1-1/4" x .120 SM		7.2	48	1575
10165	3" x .120 SC		4	48	2195	12102	1-1/2" x .120 SM		7.2	40	1515
10166	3-1/4" x .120 SC		4	48	2390	12103	1-3/4" x .120 SM		7.2	40	1755
10168	2-1/2" x .131 SM		4	48	2150	<b>NV45AB, NV45AB2, NV45AB2S, NV45AC, NV45AE, NV45AES</b>					
10162	3" x .131 SM		4	48	2435	Wire Coil Stainless Steel Roofing Nails					
10163	3-1/4" x .131 SM		4	48	2630	12120	1-1/4" x .120 SM 304 SS		7.2	48	1650
10164	3-1/2" x .131 SM		4	48	2775	<b>NV83A, NV83A2, NV65AC</b>					
<b>NR83A, NR83A2, NR90AC, NR90AC2, NR90AC3, NR90GR, NR90AE</b>						Full Round Head Brite Basic Wire Coil Framing Nails					
Full Round Head 304 Stainless Steel Plastic Strip Framing Nails						Full Round Head Brite Basic Wire Coil Framing Nails					
10150	2-3/8" x .113 RG 304 SS		1	5	48	12200	2" x .099 SM		9	40	1835
10152	3" x .131 RG 304 SS		1	4	48	12201	2" x .099 RG		9	40	1835
10153	3-1/4" x .120 RG 304 SS		1	4	48	12205	2" x .099 SC BL CHS		9	40	1835
<b>NR83A, NR83A2, NR90AC, NR90AC2, NR90AC3, NR90GR, NR90AE</b>						12206					
Full Round Head 316 Stainless Steel Plastic Strip Framing Nails						2-1/4" x .099 SC BL CHS					
10250	2-3/8" x .113 RG 316 SS		1	5	48	12219	2-3/8" x .099 RG		9	40	2005
10252	3" x .131 RG 316 SS		1	4	48	12218	2-1/2" x .099 SC BL CHS		9	40	2075
10253	3-1/4" x .120 RG 316 SS		1	4	48	12203	2" x .113 SM		5	56	1775
<b>NR83A, NR83A2, NR90AC, NR90AC2, NR90AC3, NR90GR, NR90AE</b>						12226					
Full Round Head Hot Dipped Galvanized Plastic Strip Hardi Nails						2" x .113 RG					
10170	2" x .113 SM		5	48	1715	12221	2-3/8" x .113 SM		5	48	1860
10171	2" x .113 RG		5	48	1715	12211	2-3/8" x .113 RG		5	48	1860
10172	2-5/8" x .113 SM		5	48	1960	12213	3" x .120 SM		4	45	1925
10174	2-1/2" x .113 SM		5	48	2100	12231	3" x .120 SC		4	45	1925
10173	3" x .120 SM		4	48	2195	12215	3-1/4" x .120 SM		4	45	2000
<b>NR83A, NR83A2, NR90AC, NR90AC2, NR90AC3, NR90GR, NR90AE</b>						12214					
Full Round Head Paper Tape Nails						3-1/4" x .120 SC					
10190	3" x .131 SM		4	48	2237	12236	2-1/2" x .131 SM		4.5	48	2000
<b>NR83A, NR83A2, NR90AC, NR90AC2, NR90AC3, NR90GR, NR90AE</b>						12216					
Full Round Head Heat Treated Plastic Strip Nails						3" x .131 SM					
10199	2-1/4" x .120 SM		5	48	1950	12217	3-1/4" x .131 SM		4	45	2330
10198	2-1/4" x .120 SC		5	48	1950						

Pneumatics

Item Code	Description	M's Box	M's Ctn.	Ctns/Skid	Wt/lbs/Skid	Item Code	Description	M's Box	M's Ctn.	Ctns/Skid	Wt/lbs/Skid
<b>NV83A, NV83A2, NV65AC</b>						<b>NV50AP2, NV50AP3</b>					
Full Round Head Electro Galvanized Wire Coil Framing Nails						Plasti-Cap Electro Galvanized Wire Coil Nails					
12202	2" x .099 RG		9	40	1585	12359	7/8" x .083 RG	2.8	75		805
12207	2-3/8" x .099 RG		9	40	2075	12343	1-1/4" x .083 RG	2.8	75		860
12227	2" x .113 RG		5	56	1705	12358	2" x .083 RG	2.8	75		1060
12228	2-3/8" x .113 RG		5	48	1860	<b>NV50AP2, NV50AP3</b>					
12235	3" x .120 RG		4	45	1920	Metal-Cap Electro Galvanized Wire Coil Nails					
12232	3" x .120 SC		4	45	1920	12346	7/8" x .083 RG	2.8	75		1150
12220	3-1/4" x .120 SM		4	45	2000	12344	1-1/4" x .083 RG	2.8	75		1250
12222	3-1/4" x .120 SC		4	45	2000	12345	2" x .083 RG	2.8	75		1400
12237	2-1/2" x .131 SM		4	48	2000	<b>NC65AC</b>					
12233	2-1/2" x .131 RG		4.5	48	2000	Plastic Sheet Concrete Coil Nails					
12229	3" x .131 SM		4	45	2070	13203	1-3/4" x .145 SM	0.1	1	48	465
12230	3-1/4" x .131 SM		4	45	2330	CV3838	1-1/2" x .150 SM	0.54	2.16	30	680
<b>NV83A, NV83A2, NV65AC</b>						CV3850	2" x .150 SM	0.54	2.16	30	875
Full Round Head Hot Dipped Galvanized Wire Coil Framing Nails						CV3865	2-1/2" x .150 SM	0.54	2.16	30	1085
12700	2" x .099 RG		5	48	1915	<b>VH650</b>					
12701	2-3/8" x .099 RG		5	48	1525	Electro Galvanize Plastic Coil Nails					
12703	2" x .113 RG		4	48	1605	13260	1-7/8" x .086 SM		9	30	895
12705	2-3/8" x .113 RG		4	48	1955	13261	1-7/8" x .086 RG		9	30	895
12707	3" x .120 RG		4	45	2015	13262	2-1/4" x .092 SM		7.2	30	1014
12708	3" x .120 SC		4	45	2015	13263	2-1/4" x .092 RG		7.2	30	1014
12709	3-1/4" x .120 SM		4	45	2150	<b>Brite Basic Plastic Coil Nails</b>					
12710	3-1/4" x .120 SC		4	45	2150	13280	2" x .086 SM		7.2	30	820
12711	2-1/2" x .131 SM		4	48	2005	<b>NV65AH, NV75AG</b>					
12712	2-1/2" x .131 RG		4	48	2005	Plastic Sheet Aluminum Coil Nails					
12713	3" x .131 SM		4	45	2240	13310	1-7/8" x .092 RG		6	30	335
12714	3-1/4" x .131 SM		4	45	2510	<b>NV65AH, NV75AG</b>					
<b>NV83A, NV83A2, NV65AC</b>						Plastic Sheet Electro Galvanized Coil Nails					
Heat Treated Brite Basic Coil Nails						13304	1-3/4" x .086 RG		6	30	650
12400	1-1/2" x .099 SM HT		4.5	48	870	13313	2" x .092 RG		6	30	845
12401	1-1/2" x .099 SC HT		4.5	48	870	13321	2-1/4" x .092 SM		4.8	30	755
12406	2-1/4" x .099 SM HT		4.5	48	1205	13320	2-1/4" x .092 RG		4.8	30	755
12407	2-1/4" x .099 SC HT		4.5	48	1205	13306	1-7/8" x .099 SM		6	30	838
12410	1-1/2" x .113 SM HT		4.5	48	1105	13307	1-7/8" x .099 RG		6	30	850
12416	2-1/4" x .113 SM HT		4.5	48	1540	13326	2" x .099 SM		6	30	877
12417	2-1/4" x .113 SC HT		4.5	48	1540	<b>NV65AH, NV75AG</b>					
<b>NV83A, NV83A2, NV65AC</b>						Plastic Sheet Hot Dipped Galvanized Coil Nails					
Full Round Head Stainless Steel Wire Coil Nails						13305	1-3/4" x .086 RG		6	30	755
12600	2" x .099 RG 304 SS		9	40	1583	13316	2" x .092 RG		6	30	845
12601	2-3/8" x .099 RG 304 SS		5	40	2485	13328	2-1/4" x .092 SM		4.8	30	755
12604	2" x .113 RG 304 SS		5	48	1830	13325	2-1/4" x .092 RG		4.8	30	755
12605	2-3/8" x .113 RG 304 SS		5	48	1860	13331	2-1/2" x .092 SM		4.8	30	816
12607	3" x .120 RG 304 SS		4	45	1925	13330	2-1/2" x .092 RG		4.8	30	816
12608	3" x .120 SC 304 SS		4	45	1925	<b>NV65AH, NV75AG</b>					
12609	3-1/4" x .120 SM 304 SS		4	45	2060	Plastic Sheet Stainless Steel Coil Nails					
12610	3-1/4" x .120 SC 304 SS		4	45	2060	13327	2-1/4" x .092 RG 304 SS	2.4	4.8	24	615
12603	2-3/8" x .131 RG 304 SS		5	48	3240	<b>NV65AH, NV75AG</b>					
12611	2-1/2" x .131 SM 304 SS		4	45	1910	Plastic Sheet Hot Dipped Galvanized Coil Hardi Nails					
12612	2-1/2" x .131 RG 304 SS		4	45	1910	13375	2" x .092 SM		6	30	965
12613	3" x .131 SM 304 SS		4	45	2150	13376	2" x .092 RG		6	30	965
12606	3" x .131 RG 304 SS		4	45	2150	13388	2-1/4" x .092 SM		4.8	30	755
12614	3-1/4" x .131 SM 304 SS		4	45	2420	13385	2-1/4" x .092 RG		4.8	30	755
12615	3-1/4" x .131 RG 304 SS		4	45	2420	13389	2-1/2" x .092 SM		4.8	30	845
<b>NV50A1 &amp; NV50AE</b>						13390	2-1/2" x .092 RG		4.8	30	845
Brite Basic Mini Wire Coil Nails						13391	3" x .113 SM		4.8	30	912
12301	1-1/4" x .083 RG		16	40	1435	<b>NV65AH, NV65AHS, NV75AG</b>					
12305	1-1/2" x .083 SM		16	40	1634	Hot Dipped Galvanized Wire Coil Siding Nails					
12306	1-1/2" x .083 RG		16	40	1634	13363	1-3/4" x .092 RG		3.6	60	995
12311	1-3/4" x .083 RG		16	40	1875	13364	2" x .092 SM		3.6	60	1115
12315	2" x .083 SM		12	40	1595	13365	2" x .092 RG		3.6	60	1115
12316	2" x .083 RG		12	40	1595	13366	2-1/4" x .092 SM		3.6	60	1235
<b>NV50A1 &amp; NV50AE</b>						13367	2-1/4" x .092 RG		3.6	60	1235
Electro Galvanized Mini Wire Coil Nails						13369	2-1/2" x .092 RG		3.6	60	1415
12302	1-1/4" x .083 RG		16	40	1397	<b>NV65AH, NV75AG</b>					
12307	1-1/2" x .083 RG		16	40	1634	Plastic Sheet Stainless Steel Coil Hardi Nails					
12312	1-3/4" x .083 RG		16	40	1907	13386	2-1/4" x .092 SM 304 SS	2.4	4.8	30	785
12317	2" x .083 RG		12	40	1599	13387	2-1/4" x .092 RG 304 SS	2.4	4.8	30	785
<b>NV50A1 &amp; NV50AE</b>											
Stainless Steel Mini Wire Coil Nails											
12322	1-1/2" x .083 RG 304 SS		5.6	36	560						
12320	1-3/4" x .083 RG 304 SS		5.6	36	648						
12321	2" x .083 RG 304 SS		5.6	36	710						

Item Code	Description	M's Box	M's Ctn.	Ctns/Skid	Wt/lbs/Skid	Item Code	Description	M's Box	M's Ctn.	Ctns/Skid	Wt/lbs/Skid
<b>NV65AH, NV75AG</b>						<b>NR83AA, NR83AA2, NR90AA, NR83AA3, NR90AD, NR9GC</b>					
Electro Galvanized Wire Coil Siding Nails						Electro Galvanized Clipped Head Paper Tape Framing Nails					
13334	1-3/4" x .092 RG		3.6	60	875	15122	2" x .120 RG	4.8	80	2637	
13333	2" x .092 SM		3.6	60	1055	15121	2-3/8" x .120 RG	4.8	80	3155	
13335	2" x .092 RG		3.6	60	1055	15123	3" x .120 SM	2.5	84	2191	
13339	2-1/4" x .092 SM		3.6	60	1175	15124	3" x .120 RG	2.5	84	2191	
13338	2-1/4" x .092 RG		3.6	60	1175	15117	3-1/4" x .120 SM	2.5	84	2359	
13340	2-1/2" x .092 RG		3.6	60	1295	15120	3" x .131 SM	2.5	84	2475	
						15119	3-1/4" x .131 SM	2.5	84	2725	
<b>NV65AH, NV75AG</b>						<b>NR83AA, NR83AA2, NR90AA, NR83AA3, NR90AD, NR9GC</b>					
Stainless Steel Wire Coil Siding Nails						Hot Dipped Galvanized Clipped Head Paper Tape Framing Nails					
13350	1-3/4" x .090 RG 304 SS	0.9	3.6	48	755	15132	2-3/8" x .120 SM	4.8	80	2637	
13355	2" x .090 RG 304 SS	0.9	3.6	48	838	15133	2-3/8" x .120 RG	4.8	80	3155	
13352	2-1/4" x .090 RG 304 SS	0.9	3.6	48	952	15136	3" x .120 SM	2.5	84	2191	
13356	2-1/2" x .090 RG 304 SS	0.9	3.6	48	1045	15137	3" x .120 RG	2.5	84	2191	
<b>NT45A, NT50AD, NT32AE, NT50AE, NT32AE2, NT50AE2</b>						<b>NR83AA, NR83AA2, NR90AA, NR83AA3, NR90AD, NR9GC</b>					
18 Gauge Electro Galvanized Brad Nails						Hot Dipped Galvanized Clipped Head Paper Tape Framing Nails					
14100	5/8"	5	120	36	1475	15140	3-1/4" x .120 SM	2.5	84	2359	
14101	3/4"	5	120	36	1730	15141	3-1/4" x .120 RG	2.5	84	2359	
14102	1"	5	120	36	2195	15138	3" x .131 SM	2.5	84	2470	
14106	1-1/4"	5	80	36	1765	15139	3" x .131 RG	2.5	84	2725	
14107	1-1/2"	5	80	36	2160	15142	3-1/4" x .131 SM	2.5	84	2849	
14103	1-5/8"	5	80	36	2235	15143	3-1/4" x .131 RG	2.5	84	2849	
14105	1-3/4"	5	60	36	1910	15144	3-1/2" x .131 SM	2.5	84	2849	
14108	2"	5	60	36	2160	15145	3-1/2" x .131 RG	2.5	84	2849	
<b>NT65A, NT65A2, NT65A3, NT65M, NT65M2</b>						<b>NR65AK, NR65AKS</b>					
16 Gauge Finish Nails						Heat Treated Mechanical Galvanized Paper Tape Strap Tite Nails					
14200	1"	5	60	48	2485	17102	1-1/2" x .131 SM	4	96	2630	
14201	1-1/4"	5	40	48	2195	17103	2-1/2" x .131 SM	2.5	96	2535	
14202	1-1/2"	2.5	30	48	1955	17108	2-1/2" x .148 SM	2.5	96	3205	
14203	1-3/4"	2.5	30	48	2295	17109	2-1/2" x .162 SM	2	96	3110	
14204	2"	2.5	30	48	2435	<b>NR65AK, NR65AKS</b>					
14206	2-1/2"	2.5	20	48	2150	Heat Treated Brite Basic Paper Tape Strap Tite Nails					
<b>NT65AA, NT65MA, NT65MA2, NT65MA3</b>						<b>NR65AK, NR65AKS</b>					
15 Gauge Angled Finish Nails						Heat Treated Hot Dipped Galvanized Paper Tape Strap Tite Nails					
14302	1-1/4"	4	16	80	2035	17121	1-1/2" x .131 SM	4	96	2630	
14303	1-1/2"	4	16	80	2515	17124	1-1/2" x .148 SM	3	96	2535	
14304	1-3/4"	4	16	60	2075	17126	2-1/2" x .131 SM	2.5	96	2535	
14305	2"	4	16	60	2435	17127	2-1/2" x .148 SM	2.5	96	3205	
14306	2-1/4"	4	16	60	2675	17130	2-1/2" x .162 SM	2	96	3110	
14308	2-1/2"	3	12	60	2255	<b>NR65AK, NR65AKS</b>					
14307	2-1/2" 14 GA	3	12	60	2615	Heat Treated Hot Dipped Galvanized Paper Tape Strap Tite Nails					
<b>NT65AA, NT65MA, NT65MA2, NT65MA3</b>						<b>NR65AK, NR65AKS</b>					
15 Gauge Electro Galvanized Angled Finish Nails						316 Stainless Steel Paper Tape Strap Tite Nails					
14313	1-1/2"	4	16	60	1895	17131	1-1/2" x .131 SM	4	96	2630	
14315	2"	4	16	60	2375	17134	1-1/2" x .148 SM	3	96	2535	
14318	2-1/2"	3	12	60	2315	17136	2-1/2" x .131 SM	2.5	96	2535	
<b>NT65AA, NT65MA, NT65MA2, NT65MA3</b>						<b>NR65AK, NR65AKS</b>					
15 Gauge Stainless Steel Angled Finish Nails						Heat Treated Hot Dipped Galvanized Paper Tape Strap Tite Nails					
14334	1-1/2" 304 SS	4	16	60	2058	17137	2-1/2" x .148 SM	2.5	96	3205	
14335	2" 304 SS	4	16	60	2288	17140	2-1/2" x .162 SM	2	96	3110	
14336	2-1/2" 304 SS	3	12	60	2538	<b>NR65AK, NR65AKS</b>					
<b>NR90AF</b>						<b>NR65AK, NR65AKS</b>					
Offset Round Head 28", Wire Weld, Basic						316 Stainless Steel Paper Tape Strap Tite Nails					
28002	2-3/8" x .113 SM		2	100		17151	1-1/2" x .131 SM	0.5	4	80	2115
28003	2-3/8" x .113 RG		2	100		17154	1-1/2" x .148 SM	0.5	3	80	1955
28008	3" x .120 SM		2	100		17156	2-1/2" x .131 SM	0.5	2.5	80	2115
28012	3-1/4" x .120 SM		2	100		17157	2-1/2" x .148 SM	0.5	2.5	64	2085
28016	3-1/2" x .131 SM		2	100		17160	2-1/2" x .162 SM	0.5	2	64	2020
<b>NR83AA, NR83AA2, NR90AA, NR83AA3, NR90AD, NR9GC</b>						<b>NR65AK, NR65AKS</b>					
Clipped Head Paper Tape Framing Nails						Heat Treated Hot Dipped Galvanized Paper Tape Strap Tite Nails					
15116	2" x .120 RG		4.8	80	2637						
15100	2-3/8" x .120 SM		4.8	80	3139						
15101	2-3/8" x .120 RG		4.8	80	3139						
15105	3" x .120 SM		2.5	84	2191						
15125	3" x .120 RG		2.5	84	2191						
15107	3-1/4" x .120 SM		2.5	84	2359						
15115	3-1/4" x .120 RG		2.5	84	2359						
15109	3" x .131 SM		2.5	84	2470						
15110	3-1/4" x .131 SM		2.5	84	2725						
15126	3-1/2" x .131 SM		2.5	84	2849						