


## HITACHI *SuperDrive*®

### Hitachi introduces SuperDrive

This system has been developed for the professional subfloor, decking and drywall installer. The 20" extension handle allows the user to install screws in a standing position, reducing user fatigue and improving productivity. The **SuperDrive** system can use screws sizing from 3/4" to 3" with diameters of #6 to #12. The design of the screw driving system is simple and easy to service and, with the **SureLock** fine depth adjustment, placing screws couldn't be easier.

**The SuperDrive system** offers a wide range of screws including drywall (streaker point and coarse thread), self drilling #2 phillips, waxed yellow zinc subfloor, "stabber" subfloor, 1000 hour dacro waxed decking, cement and hardboard to steel 14 – 25 gauge and cement and hardboard to wood or 20 – 25 gauge steel.

**The SuperDrive system** also employs a revolutionary patented bit system. The **LOX**® bit features twelve points of contact – three times more than the four points of the Phillips and Robertson (square). Using this **LOX**® system, it is not uncommon to drive as many as 25,000 screws before replacing the bit.



**12 Contact Points**

vs.

**4 Contact Points**

Drilling/Fastening

## Superdrive Collated Screws



P/N 17202



P/N 17212



P/N 17222




P/N 17311




P/N 17501



P/N 17511



P/N 17530



P/N 17605

Part No.	Description	Recess	M's Box	M's Ctn.	Ctns Skid	Wt/lbs Skid
17202	6 x 1-1/4" BH Dywl Strkr Pt, Phos	#2 Phillips	1	10	24	1135
17203	6 x 1-5/8" BH Dywl Strkr Pt, Phos	#2 Phillips	1	10	24	1390
17212	6 x 1-1/4" BH Dywl Grbr Thrd, Phos	#2 Phillips	1	10	24	1135
17213	6 x 1-5/8" BH Dywl Grbr Thrd, Phos	#2 Phillips	1	10	24	1390
17214	7 x 2" BH Dywl Grbr Thrd, Phos	#2 Phillips	1	8	24	2224
17218	8 x 2-1/2" BH Dywl Grbr Thrd, Phos	#2 Phillips	1	8	24	2224
17215	6 x 1-1/4" BH Dywl Grbr Thrd, YZ	#2 Phillips	1	10	24	1135
17216	6 x 1-5/8" BH Dywl Grbr Thrd, YZ	#2 Phillips	1	10	24	1390
17222	6 x 1-1/4" BH Self Drllng, Zinc	#2 Phillips	1	10	24	1260
17223	6 x 1-5/8" BH Self Drllng, Zinc	#2 Phillips	1	10	24	1350
17232	7 x 1-1/4" BH Self Drllng, Zinc	#2 Phillips	1	10	24	1235
17251	8 x 1-3/4" Wx Yllw Zinc Subflr	#3 LOX	1	10	24	2011
17252	8 x 2" Wx Yllw Zinc Subflr	#3 LOX	1	8	24	1841
17253	8 x 2-1/2" Wx Yllw Zinc Subflr	#3 LOX	1	8	24	2224
17254	8 x 3" Wx Yllw Zinc Subflr	#3 LOX	1	6	24	2630
17303	8 x 2-1/2" Wx Yllw Zinc Subflr	#2 LOX	1	8	24	2224
17311	8 x 1-1/2" Stabber Subflr Wax Yllw Zinc	#2 LOX	1	10	24	1837
17312	8 x 1-3/4" Stabber Subflr Wax Yllw Zinc	#2 LOX	1	10	24	2011
17314	8 x 2" Stabber Subflr Wax Yllw Zinc	#2 LOX	1	8	24	1841
17316	8 x 2-1/2" Stabber Subflr Wax Yllw Zinc	#2 LOX	1	8	24	2224
17317	8 x 3" Stabber Subflr Wax Yllw Zinc	#2 LOX	1	6	24	2038
17423	8 x 2" Deck 1000 Hr Magna Ct/Wx ACQ Type 17	#2 LOX	1	8	24	1779
17425	8 x 2-1/2" Deck 1000 Hr Magna Ct/Wx ACQ Type 17	#2 LOX	1	8	24	2138
17427	9 x 3" Deck 1000 Hr Magna Ct/Wx ACQ Type 17	#2 LOX	1	6	24	1860
17431	9 x 2-1/2" Comp Deck 1000 Hr Magna Ct/Wx ACQ(Grey)	#2 LOX	1	8	24	2356
17432	9 x 2-1/2" Comp Deck 1000 Hr Magna Ct/Wx ACQ(Red)	#2 LOX	1	8	24	2356
17433	9 x 2-1/2" Comp Deck 1000 Hr Magna Ct/Wx ACQ(Brown)	#2 LOX	1	8	24	2356
17435	10 x 2-1/2" Comp Deck 1000 Hr Magna Ct/Wx ACQ (Stnlss 316)	#2 LOX	1	n/a	48	678
17501	8 x 1-1/4" Self Drllng Cement/Hardbd to 14-25ga Stl	#2 LOX	1	10	24	1493
17502	8 x 1-5/8" Self Drllng Cement/Hardbd to 14-25ga Stl	#2 LOX	1	10	24	1853
17511	8 x 1-1/4" Shp Pt Cement/Hardbd to Wd or 20-25ga Stl	#2 LOX	1	10	24	1539
17512	8 x 1-5/8" Shp Pt Cement/Hardbd to Wd or 20-25ga Stl	#2 LOX	1	10	24	1884
17530	10 x 3/4" Stl Framing, Self Drllng 14-20 Stl, YZ	#2 LOX	1	10	24	1506
17605	8 x 2-1/2" Deck BH 316 Stainless Steel 8 TPI, Type 17	#2 LOX	1	n/a	48	749
17625	10 x 2-1/2" Deck BH 316 Stainless Steel 8 TPI, Type 17	#2 LOX	1	n/a	48	753
17627	10 x 3" Deck BH 316 Stainless Steel 8 TPI, Type 17	#2 LOX	1	n/a	48	658
17630	9 x 2-1/2" Deck, Sharp Pt, 302 Stainless Steel 8 TPI	#2 LOX	1	n/a	48	634

## Sub Stoppers

### Nose Pieces and Extensions



P/N 317673



P/N 725411

Part No.	Description	Use with Bit Holder
317672	1/4" Sub Stopper (A)	317674
317673	1/4" Sub Stopper (C)	982554Z
317671	5/16" Sub Stopper (B)	985322
323352	1/4" Sub Stopper (G)	317674
323351	1/4" Sub Stopper (F)	982554Z
317670	3/8" Sub Stopper (B)	985330
725476	19" Extension Bar	
725479	Complete Sub Floor 75 Extension	
725411	Nosepiece for Subfloor and Metal to Metal	
725412	Nosepiece for Deck and Drywall	
725414	Indexing Module with Feed Track and Bracket	
725417	Indexing Module without Feed Track	

## Driver Bits



P/N 725439

Part No.	Size	Length	Type	Model
725450	#2	1"	Insert Tip	
725451	#2	1-1/2"	Insert Tip	
725452	#2	2"	Insert Tip	
725453	#2	2-1/2"	Power Bit	
725454	#2	3"	Power Bit	
725455	#2	3-1/2"	Power Bit	
725456	#2	4-1/2"	Power Bit	
725457	#2	4-3/4"	PAM to LOX	SS2K
725441	#2	5"	Senco to LOX	DS200-AC/ -D2/ -14V
725442	#2	5-1/2"	PAM to LOX	P13L/ P13KUE/ P13KDE
725459	#2	6-1/4"	Senco to LOX	DS300-AC/ DS205-14V/ DS202-14V
725439	#2	7"	SuperDrive	
725447	#2	8"	Senco to LOX	DS200-S2/ DS200-S4
725440	#2	9"	Senco to LOX	DS300-S2 / -S4/ -D2
725458	#3	4-3/4"	PAM to LOX	SS2K
725445	#3	5"	Senco to LOX	DS200-AC/ -D2/ -14V
725446	#3	5-1/2"	PAM to LOX	P13L/ P13KUE/ P13KDE
725460	#3	6-1/4"	Senco to LOX	DS300-AC/ DS205-14V/ DS202-14V
725443	#3	7"	SuperDrive	
725448	#3	8"	Senco to LOX	DS200-S2/ DS200-S4
725444	#3	9"	Senco to LOX	DS300-S2/ -S4/ -D2

Drilling/Fastening

## Phillips



P/N 725438

Part No.	Size	Overall Length	Type
985333	#1	1"	Insert Tip
985334	#1	1"	Insert Tip Stepped Rod
992670	#1	2"	Power Bit
985335	#2	1"	Insert Tip Stepped Rod
971511Z	#2	1"	Insert Tip
992671	#2	2"	Power Bit
725438	#2	7"	SuperDrive
971512Z	#3	1"	Insert Tip
983010	#3	1-3/4"	Double Ended
992672	#3	2"	Power Bit

## Square

Part No.	Size	Overall Length	Type
725480	#1	1"	Insert Tip
725481	#1	2"	Power Bit
725482	#1	2-1/2"	Power Bit
725483	#1	3"	Power Bit
725484	#1	3-1/2"	Power Bit
725490	#2	1"	Insert Tip
725491	#2	2"	Power Bit
725492	#2	2-1/2"	Power Bit
725493	#2	3"	Power Bit
725494	#2	3-1/2"	Power Bit
725449	#2	7"	SuperDrive

## Hex Sockets

### 1/4" Hex Quick Change

Drilling/Fastening



P/N 985330

Part No.	Size	Overall Length	Type
985332	1/4"	2-1/2"	M6 Magnetic
985322	5/16"	2-9/16"	M8 Magnetic
985330	3/8"	2-9/16"	M10 Magnetic

## Bit Tip Holders

### 1/4" Hex



P/N 982554Z

Part No.	Sub Stopper	Overall Length	Type
317674	317672	1-5/8"	Magnetic
982563Z	317673	2-9/16"	Non-Magnetic
982554Z	317673	2-9/16"	Magnetic

## Miscellaneous

### SuperDrive and Driver Accessories



P/N 725434



P/N 305690



P/N 725436

Part No.	Description
305690	Rubber Ring
323471	Hook
725434	Tri-Flow Oil (2.0 Oz)
725435	Lock-Tite (1 Oz Bottle)
725436	Canvas Padded Tool Bag